ELSEVIER

Neuroscience Letters 355 (2004) 245–247

Neuroscience Letters

www.elsevier.com/locate/neulet

# Contents to Volume 355

**Volume 355, nos. 1,2**

Attenuation of the effects of fluoxetine on serotonergic neuronal activity by pindolol in rats
K. Rasmussen, A.C. McCreary, E.A. Shanks (UK) 1

Role of the medial prefrontal cortex in *N*-methyl-D-aspartate receptor antagonist induced sensorimotor gating deficit in rats
K. Schwabe, M. Koch (Germany) 5

Kinetics of [$^{35}$S]dATPαS interaction with $P2Y_1$ purinoceptor in rat brain membranes
A. Oras, J. Järv (Estonia) 9

Synergistic interaction between mazindol, an anorectic drug, and swim-stress on analgesic responses in the formalin test in mice
L.F. Vendruscolo, R.N. Takahashi (Brazil) 13

Pattern of rapid-eye movement sleep episode occurrence after an immobilization stress in the rat
G. Dewasmes, N. Loos, S. Delanaud, D. Dewasmes, W. Ramadan (France) 17

Adenosine administration produces an antidepressant-like effect in mice: evidence for the involvement of $A_1$ and $A_{2A}$ receptors
M.P. Kaster, A.O. Rosa, M.M. Rosso, E.C. Goulart, A.R.S. Santos, A.L.S. Rodrigues (Brazil) 21

Functional connectivity patterns of human magnetoencephalographic recordings: a 'small-world' network?
C.J. Stam (The Netherlands) 25

Identification and functional evidence of GABAergic neurons in parts of the brain of adult zebrafish (*Danio rerio*)
Y.-J. Kim, R.-H. Nam, Y.M. Yoo, C.-J. Lee (South Korea) 29

Antipyretic effect of acetaminophen by inhibition of glutamate release after staphylococcal enterotoxin A fever in rabbits
W.-T. Huang, J.-J. Wang, M.-T. Lin (Taiwan) 33

A single nucleotide polymorphism in glycogen synthase kinase 3-β promoter gene influences onset of illness in patients affected by bipolar disorder
F. Benedetti, A. Bernasconi, C. Lorenzi, A. Pontiggia, A. Serretti, C. Colombo, E. Smeraldi (Italy) 37

Statins potentiate caspase-3 activity in immortalized murine neurons
M. Föcking, M. Besselmann, T. Trapp (Germany) 41

Differential expression of tetrodotoxin-resistant sodium channels $Na_v1.8$ and $Na_v1.9$ in normal and inflamed rats
R.E. Coggeshall, S. Tate, S.M. Carlton (USA, UK) 45

Deficits of non-verbal auditory perception in postlingually deaf humans using cochlear implants
E. Szelag, I. Kolodziejczyk, M. Kanabus, J. Szuchnik, A. Senderski (Poland) 49

Prevalence of serum antibodies to caudate nucleus in autistic children
V.K. Singh, W.H. Rivas (USA) 53

Polyamine levels in brain and plasma after acute restraint or water-immersion restraint stress in mice
Y. Hayashi, J. Tanaka, Y. Morizumi, Y. Kitamura, Y. Hattori (Japan) 57

Altered synaptic activities in cultures of neocortical neurons from prenatally X-irradiated rats
K. Nakanishi, K. Watanabe, M. Kawabata, A. Fukuda, A. Oohira (Japan) 61

Changes in motor cortical excitability in humans following orally administered theophylline
R. Nardone, E. Buffone, M. Covi, P.G. Lochner, F. Tezzon (Italy) 65

Association study of the human partially duplicated α7 nicotinic acetylcholine receptor genetic variant with bipolar disorder
C.-J. Hong, I.-C. Lai, L.-L. Liou, S.-J. Tsai (Taiwan, ROC) 69

Inhibitory actions of serotonin on glutamate release in dorsal medulla suppress systemic arterial pressure of cats
C.-L. Gong, Y.-T. Chiu, N.-N. Lin, S.-Z. Lin, F.-C. Cheng, J.-S. Kuo (Taiwan, ROC) 73

Diazepam reduces both arterial blood pressure and muscle sympathetic nerve activity in human
T. Kitajima, T. Kanbayashi, Y. Saito, Y. Takahashi, Y. Ogawa, T. Sugiyama, Y. Kaneko, R. Aizawa, T. Shimizu (Japan) 77

Age-related changes in histamine receptor mRNA levels in the mouse brain
A. Terao, T.L. Steininger, S.R. Morairty, T.S. Kilduff (USA) 81

Short-term high-frequency transcutaneous electrical nerve stimulation decreases human motor cortex excitability
T. Mima, T. Oga, J. Rothwell, T. Satow, J.-i. Yamamoto, K. Toma, H. Fukuyama, H. Shibasaki, T. Nagamine (Japan, UK, USA) 85

Expression of acyl-CoA hydrolase in the developing mouse brain
J. Yamada, Y. Kuramochi, M. Takagi, T. Suga (Japan) 89
Perilesional pathological oscillatory activity in the magnetoencephalogram of patients with cortical brain lesions
M. Butz, J. Gross, L. Timmermann, M. Moll, H.-J. Freund, O.W. Witte, A. Schnitzler (Germany) 93
The human brain processes repeated auditory feature conjunctions of low sequential probability
T. Ruusuvirta, M. Huotilainen (Finland) 97
Chelation of synaptic zinc induces overexcitation in the hilar mossy cells of the rat hippocampus
J.-M. Blasco-Ibáñez, J. Poza-Aznar, C. Crespo, A.-I. Marqués-Marí, F.-J. Gracia-Llanes, F.-J. Martínez-Guijarro (Spain) 101
Correlation between local monocarboxylate transporter 1 (MCT1) and glucose transporter 1 (GLUT1) densities in the adult rat brain
M.H. Maurer, M. Canis, W. Kuschinsky, R. Duelli (Germany) 105
Subcellular localization of estrogen receptor β in mouse hippocampus
M. Nishio, Y. Kuroki, Y. Watanabe (Japan) 109
Thalamo-cortical projections to the posterior parietal cortex in the monkey
R. Matsuzaki, S.-i. Kyuhou, K. Matsuura-Nakao, H. Gemba (Japan) 113
Effect of hypertonic saline on rat hypothalamic paraventricular nucleus magnocellular neurons in vitro
D.-L. Qiu, T. Shirasaka, C.-P. Chu, S. Watanabe, N.-S. Yu, T. Katoh, H. Kannan (Japan) 117
Activity in the dorsal cochlear nucleus of hamsters previously tested for tinnitus following intense tone exposure
J.A. Kaltenbach, M.A. Zacharek, J. Zhang, S. Frederick (USA) 121
TorsinA, the gene linked to early-onset dystonia, is upregulated by the dopaminergic toxin MPTP in mice
R. Kuner, P. Teismann, A. Trutzel, J. Naim, A. Richter, N. Schmidt, A. Bach, B. Ferger, A. Schneider (Germany, Switzerland) 126
Daily variations of blood glucose, acid-base state and $PCO_2$ in rats: effect of light exposure
E. Challet, A. Malan, F.W. Turek, O. Van Reeth (France, USA, Belgium) 131
Multiminute oscillations in mouse substantia nigra pars reticulata neurons in vitro
H. Yuan, K. Yamada, N. Inagaki (Japan) 136
Identification of live hair cells in rat cochlear sections in culture with FM1-43 fluorescent dye
J. Fukuda, H. Ishimine, M. Tokunaga (Japan) 141
Localization of dopamine D1-receptor to A-type horizontal cells in the rabbit retina by single cell RT-PCR
H. Li, P. Gaughwin, N. Li, S. He (China) 146
Lack of a genetic association between the TNXB locus and schizophrenia in a Chinese population
L.-L. Liu, J. Wei, X. Zhang, X.-Y. Li, Y. Shen, S.-Z. Liu, G.-Z. Ju, J.-P. Shi, Y.-Q. Yu, Q. Xu, G.P. Hemmings (China, UK) 149
Age-dependence of the effect of treadmill exercise on cell proliferation in the dentate gyrus of rats
Y.-P. Kim, H. Kim, M.-S. Shin, H.-K. Chang, M.-H. Jang, M.-C. Shin, S.-J. Lee, H.-H. Lee, J.-H. Yoon, I.-G. Jeong, C.-J. Kim (South Korea) 152

*Contents continued* 155

**Volume 355, no. 3**

Variation of the prion gene in chimpanzees and its implication for prion diseases
M. Soldevila, A.M. Andrés, A. Blancher, F. Calafell, M. Ordoñez, M. Pumarola, B. Oliva, J. Aramburu, J. Bertranpetit (Spain, France) 157
Reduced G-protein coupling to the $GABA_B$ receptor in the nucleus accumbens and the medial prefrontal cortex of the rat after chronic treatment with nicotine
D. Amantea, M. Tessari, N.G. Bowery (UK, Italy) 161
Permanent focal cerebral ischemia activates erythropoietin receptor in the neonatal rat brain
T.-C. Wen, M. Rogido, T. Genetta, A. Sola (USA) 165
Contrasting neuroprotective and neurotoxic actions of respective metabolites of anti-Parkinson drugs rasagiline and selegiline
O.B. Am, T. Amit, M.B.H. Youdim (Israel) 169
Glucose sensitivity in mouse substantia nigra pars reticulata neurons in vitro
H. Yuan, K. Yamada, N. Inagaki (Japan) 173
*N*-Methyl-D-aspartate receptor and L-type voltage-gated $Ca^{2+}$ channel activation mediate proline-rich tyrosine kinase 2 phosphorylation during cerebral ischemia in rats
J. Guo, F. Meng, X. Fu, B. Song, X. Yan, G. Zhang (PR China) 177
Acute intermittent nicotine treatment produces a reduction in the total number of FGF-2 immunoreactive astroglial cells in the substantia nigra of the rat: a stereological analysis
F.-L. Liu, K. Fuxe, N. Belluardo, G. Leo, L.F. Agnati, J.A. Aguirre (Sweden, China, Italy, Spain) 181
Leukoaraiosis and mobility decline: a high resolution magnetic resonance imaging study in older people with mild cognitive impairment
F. Onen, M.C.H. Feugeas, G. Baron, G. De Marco, S. Godon-Hardy, I.I. Peretti, P. Ravaud, S. Legrain, J.L. Moretti, E.S. Claeys (France) 185
Rhythmic training decreases latency-jitter of omission evoked potentials (OEPs) in humans
M.L.A. Jongsma, R.Q. Quiroga, C.M. van Rijn (The Netherlands, USA) 189

Polymorphisms of dopamine receptor and transporter genes and hallucinations in Parkinson's disease
J. Wang, C. Zhao, B. Chen, Z.-L. Liu (PR China) 193
Postsynaptic density protein 95 mediates $Ca^{2+}$/calmodulin-dependent protein kinase II-activated serine phosphorylation of neuronal nitric oxide synthase during brain ischemia in rat hippocampus
X.-B. Yan, B. Song, G.-Y. Zhang (China) 197
Photoperiod affects the development of central neurotransmitter systems of tilapia, *Oreochromis mossambicus*
Y.-S. Huang, L.-H. Wang, C.-L. Tsai (Taiwan) 201
The $CCK_2$ agonist BC264 reverses freezing behavior habituation in PVG hooded rats on repeated exposures to a cat
J.M. Farook, C.S. McLachlan, Y.Z. Zhu, L. Lee, S.M. Moochhala, P.T.-H. Wong (USA, Singapore) 205
Functional contribution of medial premotor cortex to visuo-spatial transformation in humans
S. Johnston, E.C. Leek, C. Atherton, N. Thacker, A. Jackson (UK) 209
Repeated electroconvulsive shock treatment increases the expression of A kinase anchoring proteins in the rat hippocampus
Y.-I. Lee, Y.-J. Koo, C.-H. Cho, M. Seo, U.G. Kang, Y.S. Kim, Y.-S. Juhnn (South Korea) 213
Expression of the mammalian homologue of *vacuolar protein sorting* 16 (Vps16p) in the mouse and rat brain
B.Y. Kim, M. Ueda, Y. Nakamura, S. Kohsaka, C. Akazawa (Japan) 217
Protective effects of zinc chelation in traumatic brain injury correlate with upregulation of neuroprotective genes in rat brain
H.L. Hellmich, C.J. Frederickson, D.S. DeWitt, R. Saban, M.O. Parsley, R. Stephenson, M. Velasco, T. Uchida, M. Shimamura, D.S. Prough (USA, Japan) 221
Immune response to Aβ-peptides in peripheral blood from patients with Alzheimer's disease and control subjects
L. Baril, L. Nicolas, B. Croisile, P. Crozier, C. Hessler, A. Sassolas, J.B. McCormick, E. Trannoy (France) 226
Antioxidant propolis attenuates kainate-induced neurotoxicity via adenosine $A_1$ receptor modulation in the rat
Y.-S. Kwon, D.-H. Park, E.-J. Shin, M.S. Kwon, K.H. Ko, W.-K. Kim, J.H. Jhoo, W.-K. Jhoo, M.-B. Wie, B.D. Jung, H.-C. Kim (South Korea) 231
Expression of chemokine receptors CXCR4, CCR2, CCR5 and $CX_3CR1$ in neural progenitor cells isolated from the subventricular zone of the adult rat brain
J.F. Ji, B.P. He, S.T. Dheen, S.S.W. Tay (Singapore) 236

Author Index 241
Volume of Contents 245
*Contents continued* 248